

Petunia Lo Rider™ F₁ Series

(*Petunia x hybrida*)

Annuals Culture (revised 01/10/18)

Multiflora Lo Rider and grandiflora Ez Rider put flexibility at your fingertips and cost savings in your pocket, thanks to their matched and manageable growth from bench to retail. These genetically shorter, more controlled plants need less PGRs and are perfect for high-density programs. The two series solve the seasonal, geographic and control challenges of traditional petunias – they're perfect for growing and selling high-density cell packs to "promo" hanging baskets.

Plug crop time: 4 to 5 weeks

Transplant to finish: 5 to 6 weeks

Not available in North America.

- Up to half the amount of PGRs are needed – or none under some growing regimes.
- Suitable for cold growing.
- Tight bloom window lets you ship and sell all series colours at the same time.
- Better branching with improved airflow reduces the probability of disease, especially *Botrytis*.
- Available in the top-selling colours that make up 75% of petunia sales.
- Enhanced, longer garden performance in containers and gardens – plants hold together and don't lodge later in the season like traditional petunias can.

General Information

Exposure	Bloom Season	Height	Spread	Spacing
Sun	Early Spring, Spring, Late Spring, Summer, Late Summer	7-10 in. (18-25 cm)	8-12 in. (20-30 cm)	6-8 in. (15-20 cm)

Germination

Seed Form	Recommended Plug Size	Seeds/Cell	Plug Crop Weeks	Days to Germinate	Initial Media pH/EC	Cover Seed
PEL, RAW	288	1	4-5	3-5	5.5-5.8 pH 0.75-1.0 mmhos/cm	No

Plug Production

	Stage 1	Stage 2	Stage 3	Stage 4
Moisture	Level 4-5	Level 3-4	Level 2-4	Level 2-4
Temperature	72-76°F (22-24°C)	68-75°F (20-24°C)	65-70°F (18-21°C)	62-65°F (17-18°C)
Light	Light	1,000-2,500 f.c. (10,800-26,900 Lux)	2,500-4,000 f.c. (26,900-43,100 Lux)	2,500-5,000 f.c. (26,900-53,800 Lux)
Fertilizer		Less than 100 ppm N - Less than 0.7 EC	100 to 175 ppm N - 0.7 to 1.2 EC	100 to 175 ppm N - 0.7 to 1.2 EC
PGR			daminozide/2,500-5,000 ppm/Spray	daminozide/2,500-5,000 ppm/Spray

Propagation Key Tips

Genetically compact petunia needs less to no PGR after transplant.

Growing on to Finish

Growing on Temperature	Target Media pH/EC	Fertilizer	Daylength
(day) 62-70°F (17-21°C) (night) 55-65°F (13-18°C)	5.5-6.2 pH 1.2-1.5 mmhos/cm	100 to 175 ppm N - 0.7 to 1.2 EC	Facultative Long Day

Daylength Notation

All Lo Rider varieties can flower successfully at 10-hour daylengths.

Crop Scheduling

Container Size	Plugs/Pot	Crop Time	Season	PGR
Cell Pack	1 (ppp)	5-6 (weeks)	Spring	daminozide 2,500-3,500 ppm Spray
10" Pot or HB/3 Gallon	3 (ppp)	6-7 (weeks)	Spring	daminozide 2,500-3,500 ppm Spray

Common Problems

Insects: Thrips, Aphids, Fungus Gnats, Shore Flies Diseases: Botrytis, Rhizoctonia, Pythium

Finishing Key Tips


Genetically compact and may need less to no PGRs after transplant.

NOTE: Growers should use the information presented here as guidelines only. PanAmerican Seed recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to confirm the treatment is available in their region as well as read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by PanAmerican Seed of any products listed herein. PanAmerican Seed's terms and conditions of sale shall apply to all products listed herein.


Variety Pictures




Blue




Pink



Red



Rose



Violet



White



Mixture

PanAmericanSeed™

PanAmerican Seed Co.
622 Town Road, West Chicago, Illinois, USA, 60185-2698
630 231-1400 Fax: 630 231-3609 PanAmSeed.com

™ denotes a trademark of and ® denotes a registered trademark of Ball Horticultural Company in the US. It may also be registered in other countries.
©2019 Ball Horticultural Company