

## Talinum Verde

(*Talinum paniculatum*)

Annuals Culture (revised 08/29/19)

**Plug crop time:** 5 weeks

**Transplant to finish:** Foliage 4 to 5 weeks; add 2 weeks to flower

- Dark green-leafed companion to Limón has small flowers that open hot pink and then form orange berries that ripen to dark red.
- Flexible flower spikes make it easy to grow and ship.
- Durable accent plant handles heat and stress well, including both low water and soggy conditions.
- Excellent for mixed containers; also a long-lasting landscape option.

### General Information

Exposure	Bloom Season	Height	Spread	Spacing
Partial Sun	Late Spring, Summer	32 in. (81 cm)	24 in. (61 cm)	14-16 in. (36-41 cm)

### Germination

Seed Form	Recommended Plug Size	Seeds/Cell	Plug Crop Weeks	Days to Germinate	Initial Media pH/EC (1:2)	Cover Seed
RAW	288	1	5	6	5.5-6.1 pH 0.75 mmhos/cm	Yes

### Plug Production

	Stage 1	Stage 2	Stage 3	Stage 4
<b>Moisture</b>	Level 4	Level 3-4	Level 2-4	Level 2-4
<b>Temperature</b>	68-74°F (20-23°C)	68-72°F (20-22°C)	66-70°F (19-21°C)	66-68°F (19-20°C)
<b>Light</b>	Optional	1,000-2,500 f.c. (10,800-26,900 Lux)	1,000-2,500 f.c. (10,800-26,900 Lux)	2,500-5,000 f.c. (26,900-53,800 Lux)
<b>Fertilizer</b>		Less than 100 ppm N (Less than 0.7 EC)	100 to 175 ppm N (0.7 to 1.2 EC)	100 to 175 ppm N (0.7 to 1.2 EC)

### Growing on to Finish

Growing on Temperature	Target Media pH/EC (1:2)	Fertilizer	Daylength
(day) 66-74°F (19-23°C) (night) 62-66°F (17-19°C)	5.5-6.2 pH 1.2-1.5 mmhos/cm	175 to 225 ppm N (1.2 to 1.5 EC)	Day Neutral

### Crop Scheduling

Container Size	Plugs/Pot	Crop Time	Season	PGR
306 Pack	1 (ppp)	4-5 (weeks)	Spring	daminozide 2,500-3,500 ppm Spray
4"/4.5"/Quart	1 (ppp)	4-5 (weeks)	Spring	daminozide 2,500-3,500 ppm Spray
5"/6"/1 Gallon	3 (ppp)	4-5 (weeks)	Spring	daminozide 2,500-3,500 ppm Spray

### Finishing Key Tips

For flowers, add 2 weeks to Finish Crop Time.


NOTE: Growers should use the information presented here as guidelines only. PanAmerican Seed recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to confirm the treatment is available in their region as well as read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by PanAmerican Seed of any products listed herein. PanAmerican Seed's terms and conditions of sale shall apply to all products listed herein.

## Variety Pictures

---



Verde



Verde

PanAmericanSeed™

PanAmerican Seed Co.  
622 Town Road, West Chicago, Illinois, USA, 60185-2698  
630 231-1400 Fax: 630 231-3609 [PanAmSeed.com](http://PanAmSeed.com)

™ denotes a trademark of and ® denotes a registered trademark of Ball Horticultural Company in the US. It may also be registered in other countries.  
©2021 Ball Horticultural Company