ColorGrass[®] Juncus Blue Dart (Juncus tenuis)

Annuals Culture (revised 02/24/20)

Plug crop time: 6 to 7 weeks Transplant to finish: 7 to 8 weeks

Linear blue foliage adds texture to small containers and in-ground plantings. Strong vertical habit - faster, more reliable alternative to spike dracaena. Easy-care and adaptable to a wider range of conditions, including standing water and drought. Attractive indoor or water plant. Great retail shelf life.

General Information

| Exposure | Bloom Season | Height | Spread | Spacing |
|------------------|--------------|-------------------------|-------------------------|------------------------|
| Partial Sun, Sun | - | 14-16 in. (36-41 cm) | 10-12 in. (25-30 cm) | 8-10 in. (20-25 cm) |

Germination

| Seed Form | Recommended Plug Size | Seeds/Cell | Plug Crop Weeks | Days from 50% to maximum germination | Initial Media pH/EC (1:2) | Cover Seed |
|-----------|--------------------------|------------|-----------------|---|------------------------------|------------|
| MPL | 288 | 1 | 6-7 | 7-8 | 5.5-6.2 pH 0.75 mmhos/cm | No |

Plug Production

| | Stage 1 | Stage 2 | Stage 3 | Stage 4 |
|-------------|----------------------|---|---|---|
| Moisture | Level 4 | Level 3-4 | Level 2-3 | Level 2-3 |
| Temperature | 71-76°F (22-24°C) | 64-70°F (18-21°C) | 64-68°F (18-20°C) | 64-66°F (18-19°C) |
| Light | Light | 1,000-2,500 f.c. (10,800-26,900 Lux) | 1,000-2,500 f.c. (10,800-26,900 Lux) | 2,500-5,000 f.c. (26,900-53,800 Lux) |
| Fertiliser | | Less than 100 ppm N (Less than 0.7 EC) | 100 to 175 ppm N (0.7 to 1.2 EC) | 100 to 175 ppm N (0.7 to 1.2 EC) |

Fertiliser Notation

Use a nitrate-based fertilizer with low phosphorus.

Propagation Key Tips

Excellent substitute for Draecena Spike.

Growing on to Finish

| Growing on Temperature | Target Media pH/EC (1:2) | Fertiliser | Daylength |
|---------------------------|-----------------------------|------------------|-------------|
| (day) 62-74°F (17-23°C) | 5.5-6.2 pH | 175 to 225 ppm N | Day Neutral |
| (night) 59-64°F (15-18°C) | 1.2-1.5 mmhos/cm | (1.2 to 1.5 EC) | |

Crop Scheduling

| Container Size | Plugs/Pot | Crop Time | Season | PGR |
|----------------------|-----------|-------------|--------|-----|
| 306 Pack/1801 | 1 (ppp) | 6-7 (weeks) | Spring | - |
| 4"/4.5"/Quart/10 cm | 1 (ppp) | 6-7 (weeks) | Spring | - |
| 5"/6"/1 Gallon/15 cm | 1-3 (ppp) | 7-8 (weeks) | Spring | - |

Fertiliser Notation

Use a nitrate-based fertilizer with low phosphorus; avoid using excessive ammonia, nitrogen-based fertilizer and overfeeding, as these will result in less upright plants.

Common Problems

Planting the plugs too deep.

Finishing Key Tips

Excellent substitute for Draecena Spike.

NOTE: Growers should use the information presented here as guidelines only. PanAmerican Seed recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to confirm the treatment is available in their region as well as read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by PanAmerican Seed of any products listed herein. PanAmerican Seed's terms and conditions of sale shall apply to all products listed herein.

Variety Pictures





PanAmerican Seed Co. 622 Town Road,West Chicago, Illinois, USA, 60185 +1 800-231-7065 PanAmSeed.com

[™] denotes a trademark of and [®] denotes a registered trademark of Ball Horticultural Company in the US. It may also be registered in other countries. ©2024 Ball Horticultural Company