Annuals Culture (revised 02/24/20)

# ColorGrass<sup>®</sup> Luzula Lucius

(Luzula nivea)

Plug crop time: 4 to 7 weeks Transplant to finish: 8 to 9 weeks

Upright and arching, evergreen grass has flat, mid-green leaves fringed in white hairs. Small, white flowers in spiky inflorescences in Spring/early Summer. Flourishes in damp, shady areas.

# **General Information**

Exposure	Bloom Season	Height	Spread	Spacing
Partial Sun, Sun	Late Spring, Summer	6-12 in. (15-30 cm)	18 in. (46 cm)	46-61 in. (117-155 cm)

## Germination

Seed Form	Recommended Plug Size	Seeds/Cell	Plug Crop Weeks	Days from 50% to maximum germination	Initial Media pH/EC (1:2)	Cover Seed
MPL	288	1	4-7	10-12	5.8-6.2 pH 0.75 mmhos/cm	Yes

# **Plug Production**

	Stage 1	Stage 2	Stage 3	Stage 4
Moisture	Level 4	Level 3-4	Level 2-3	Level 2-3
Temperature	64-68°F (18-20°C)	64-68°F (18-20°C)	64-68°F (18-20°C)	61-64°F (16-18°C)
Light	Light	1,000-2,500 f.c. (10,800-26,900 Lux)	2,500-5,000 f.c. (26,900-53,800 Lux)	2,500-5,000 f.c. (26,900-53,800 Lux)
Fertiliser		Less than 100 ppm N (Less than 0.7 EC)	100 to 175 ppm N (0.7 to 1.2 EC)	100 to 175 ppm N (0.7 to 1.2 EC)

#### **Fertiliser Notation**

Use a nitrate-based fertilizer with low phosphorus.

#### **Propagation Key Tips**

Requires light to germinate. Make sure plants don't get too wet.

## Growing on to Finish

Growing on Temperature	Target Media pH/EC (1:2)	Fertiliser	Daylength
(day) 66-74°F (19-23°C)	5.5-6.2 pH	175 to 225 ppm N	Day Neutral
(night) 64-66°F (18-19°C)	1.2-1.5 mmhos/cm	(1.2 to 1.5 EC)	

# Crop Scheduling

Container Size	Plugs/Pot	Crop Time	Season	PGR
306 Pack/1801	1 (ppp)	8-9 (weeks)	Spring	-
4"/4.5"/Quart/10 cm	1 (ppp)	8-9 (weeks)	Spring	-
5"/6"/1 Gallon/15 cm	З (ррр)	9-10 (weeks)	Spring	-

#### **Fertiliser Notation**

Use a nitrate-based fertilizer with low phosphorus; avoid using excessive ammonia, nitrogen-based fertilizer and overfeeding, as these will result in less upright plants.

### **Finishing Key Tips**

Make sure plants don't get too wet.

NOTE: Growers should use the information presented here as guidelines only. PanAmerican Seed recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to confirm the treatment is available in their region as well as read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by PanAmerican Seed of any products listed herein. PanAmerican Seed's terms and conditions of sale shall apply to all products listed herein.

## **Variety Pictures**





PanAmerican Seed Co. 622 Town Road,West Chicago, Illinois, USA, 60185 +1 800-231-7065 PanAmSeed.com

<sup>™</sup> denotes a trademark of and <sup>®</sup> denotes a registered trademark of Ball Horticultural Company in the US. It may also be registered in other countries. ©2024 Ball Horticultural Company