

## Pepper Candy Cane Chocolate Cherry

F<sub>1</sub>

Vegetables Culture (revised 11/01/23)

(*Capsicum annuum*)

### Stand out with unique foliage

Candy Cane Chocolate Cherry's variegated foliage stands out among all other vegetables at a young plant size. As the plant matures, green fruit with a unique white stripe changes to chocolate and cherry red. Be sure to add this stunning variety to your vegetable program.

- Mini bell pepper plant has unique, eye-catching variegated foliage.
- Early-maturing fruit ripens from green and white stripes to unique chocolate and cherry red stripes.
- Sweet flavour and crisp texture make it perfect for fresh eating at any stage of ripeness.
- Best in containers or in-ground, with or without support.

## General Information

Exposure	Bloom Season	Height	Spread	Spacing
Sun	Summer	18-24 in. (46-61 cm)	12-18 in. (30-46 cm)	12-18 in. (30-46 cm)

## Germination

Seed Form	Recommended Plug Size	Seeds/Cell	Plug Crop Weeks	Days from 50% to maximum germination	Initial Media pH/EC (1:2)	Cover Seed
RAW	288	1	5-6	5-7	5.8-6.2 pH 0.75 mmhos/cm	Light cover

## Plug Production

	Stage 1	Stage 2	Stage 3	Stage 4
<b>Moisture</b>	Level 4	Level 3-4	Level 2-4	Level 2-4
<b>Temperature</b>	70-78°F (21-26°C)	68-72°F (20-22°C)	65-70°F (18-21°C)	62-67°F (17-19°C)
<b>Light</b>	Optional	1,000-2,500 f.c. (10,800-26,900 Lux)	1,000-2,500 f.c. (10,800-26,900 Lux)	2,500-5,000 f.c. (26,900-53,800 Lux)
<b>Fertiliser</b>	Less than 100 ppm N (Less than 0.7 EC)	Less than 100 ppm N (Less than 0.7 EC)	100 to 175 ppm N (0.7 to 1.2 EC)	100 to 175 ppm N (0.7 to 1.2 EC)

### Fertiliser Notation

Peppers are very sensitive to high salts, particularly high ammonium, during germination. Keep ammonium levels to less than 10 ppm.

### Propagation Key Tips

Height can be controlled by withholding fertiliser, avoiding overwatering, growing under high light conditions and using DIF when possible. If necessary, uniconazole (Sumagic) at the rate of 2.5 to 5 ppm can be applied at 2 weeks after sowing for height control. Repeat 2 weeks later if needed.

## Growing on to Finish

Growing on Temperature	Target Media pH/EC (1:2)	Fertiliser	Daylength
(day) 68-80°F (20-27°C) (night) 65-70°F (18-21°C)	5.5-6.2 pH 1.0 mmhos/cm	100 to 175 ppm N (0.7 to 1.2 EC)	-

### Days to Green Fruit

55-60

## Days to Ripe Fruit

70-75

## Crop Scheduling

Container Size	Plugs/Pot	Crop Time	Season	PGR
Cell Pack	0-1 (ppp)	4-6 (weeks)	Spring	-
4"/4.5"/Quart/10 cm	0-1 (ppp)	4-6 (weeks)	Spring	-
5"/6"/1 Gallon/15 cm	0-1 (ppp)	5-7 (weeks)	Spring	-

## Finishing Key Tips

Performs well in-ground or in a medium container, with support.

NOTE: Growers should use the information presented here as guidelines only. PanAmerican Seed recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to confirm the treatment is available in their region as well as read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by PanAmerican Seed of any products listed herein. PanAmerican Seed's terms and conditions of sale shall apply to all products listed herein.

## Variety Pictures



Candy Cane  
Chocolate  
Cherry



Candy Cane  
Chocolate  
Cherry



PanAmerican Seed Co.  
622 Town Road, West Chicago, Illinois, USA, 60185  
+1 800-231-7065 [PanAmSeed.com](http://PanAmSeed.com)

™ denotes a trademark of and ® denotes a registered trademark of Ball Horticultural Company in the US. It may also be registered in other countries.  
©2025 Ball Horticultural Company