

Aurinia Gold Rush

(*Aurinia saxatilis*)

Perennials Culture (revised 01/11/21)

Plug crop time: 6 to 7 weeks

Transplant to finish: 26 to 32 weeks

- Shorter-stemmed Aurinia features a more uniform plant habit and earlier flowering than the competition.
- Evergreen early-Spring flowering perennial forms neat rosettes.

General Information

Exposure	Bloom Season	Height	Spread	Spacing
Sun	Early Spring, Spring	5-8 in. (13-20 cm)	5-8 in. (13-20 cm)	10-12 in. (25-30 cm)

Germination

Seed Form	Recommended Plug Size	Seeds/Cell	Plug Crop Weeks	Days from 50% to maximum germination	Initial Media pH/EC (1:2)	Cover Seed
RAW	288	4	6-7	3-5	5.5-6.4 pH 1.1-1.3 mmhos/cm	No

Plug Production

	Stage 1	Stage 2	Stage 3	Stage 4
Moisture	Level 4	Level 3-4	Level 2-3	Level 2
Temperature	65-72°F (18-22°C)	65-68°F (18-20°C)	65-68°F (18-20°C)	60-65°F (16-18°C)
Light	Optional	2,500 f.c. (26,900 Lux)	2,500 f.c. (26,900 Lux)	5,000 f.c. (53,800 Lux)
Fertiliser		Less than 100 ppm N (Less than 0.7 EC)	100 to 175 ppm N (0.7 to 1.2 EC)	100 to 175 ppm N (0.7 to 1.2 EC)

Vernalisation

Yes - 6 to 8 weeks ADT 50°F (10°C) starting at 10 true leaves

Juvenility

Before 8 to 10 true leaves

Propagation Key Tips

Aurinia is a rock garden plant. Provide good drainage and an active climate in high light.

Growing on to Finish

Growing on Temperature	Target Media pH/EC (1:2)	Fertiliser	Daylength
(day) 60-65°F (16-18°C) (night) 50-54°F (10-12°C)	5.5-6.4 pH 1.2-1.5 mmhos/cm	Less than 100 ppm N (Less than 0.7 EC)	Day Neutral

Crop Scheduling

Crop Type	Container Size	Plugs/Pot	Crop Time	Season	PGR
Overwinter	4"/4.5"/Quart/10 cm	1 (ppp)	26-32 (weeks)	Early Spring, ADT 60°F (16°C)	-

Fertiliser Notation

Moderate fertilization

Common Problems

Growing too wet; using wrong media, not being well-drained; Aphids; Downy mildew

Bulking Strategy

Needs 10 true leaves before vernalization (6 to 8 weeks ADT 50°F/10°C)

Finishing Key Tips

Requires well-drained soil; avoid Winter wet. Avoid planting plugs too deep (crown must be equal with the media surface).

NOTE: Growers should use the information presented here as guidelines only. PanAmerican Seed recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to confirm the treatment is available in their region as well as read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by PanAmerican Seed of any products listed herein. PanAmerican Seed's terms and conditions of sale shall apply to all products listed herein.

Variety Pictures



Gold Rush



Gold Rush



PanAmerican Seed Co.
622 Town Road, West Chicago, Illinois, USA, 60185
+1 800-231-7065 PanAmSeed.com

™ denotes a trademark of and ® denotes a registered trademark of Ball Horticultural Company in the US. It may also be registered in other countries.
©2024 Ball Horticultural Company