

ColorGrass® Carex Amazon Mist

(*Carex comans*)

Annuals Culture (revised 01/14/21)

Plug crop time: 6 to 7 weeks

Transplant to finish: 9 to 10 weeks

Variegated light/medium green grass has twisting tips and an arching habit.

General Information

| Exposure | Bloom Season | Height | Spread | Spacing |
|----------|---------------------|------------------------|-------------------|-------------------------|
| Sun | Summer, Late Summer | 6-12 in. (15-30 cm) | 14 in. (36 cm) | 30-38 in. (76-97 cm) |

Germination

| Seed Form | Recommended Plug Size | Seeds/Cell | Plug Crop Weeks | Days to Germinate | Initial Media pH/EC (1:2) | Cover Seed |
|-----------|-----------------------|------------|-----------------|-------------------|-----------------------------|------------|
| MPL | 288 | 1 | 6-7 | 7-10 | 5.8-6.2 pH 0.75 mmhos/cm | Yes |

Plug Production

| | Stage 1 | Stage 2 | Stage 3 | Stage 4 |
|--------------------|----------------------|---|---|---|
| Moisture | Level 4 | Level 3-4 | Level 2-3 | Level 2-3 |
| Temperature | 68-79°F (20-26°C) | 68-72°F (20-22°C) | 68-72°F (20-22°C) | 65-67°F (18-19°C) |
| Light | Optional | 1,000-2,500 f.c. (10,800-26,900 Lux) | 1,000-2,500 f.c. (10,800-26,900 Lux) | 2,500-5,000 f.c. (26,900-53,800 Lux) |
| Fertilizer | | Less than 100 ppm N (Less than 0.7 EC) | 100 to 175 ppm N (0.7 to 1.2 EC) | 100 to 175 ppm N (0.7 to 1.2 EC) |

Fertilizer Notation

Use a nitrate-based fertilizer with low phosphorus.

Growing on to Finish

| Growing on Temperature | Target Media pH/EC (1:2) | Fertilizer | Daylength |
|--|--------------------------------|-------------------------------------|-------------|
| (day) 66-74°F (19-23°C) (night) 64-66°F (18-19°C) | 5.5-6.2 pH 1.2-1.5 mmhos/cm | 175 to 225 ppm N (1.2 to 1.5 EC) | Day Neutral |

Crop Scheduling

| Container Size | Plugs/Pot | Crop Time | Season | PGR |
|----------------|-----------|---------------|--------|-----|
| 306 Pack | 1 (ppp) | 9-10 (weeks) | Spring | - |
| 4"/4.5"/Quart | 1 (ppp) | 9-10 (weeks) | Spring | - |
| 5"/6"/1 Gallon | 3 (ppp) | 10-11 (weeks) | Spring | - |

Fertilizer Notation

Use a nitrate-based fertilizer with low phosphorus; avoid using excessive ammonia, nitrogen-based fertilizer and overfeeding, as these will result in less upright plants.

Common Problems

Insects: Aphids, especially after Winter regrowth Diseases: Root Rot, when grown too wet

NOTE: Growers should use the information presented here as guidelines only. PanAmerican Seed recommends that growers conduct a trial of products under their own conditions. Crop times will vary depending on the climate, location, time of year, and greenhouse environmental conditions. It is the responsibility of the grower to confirm the treatment is available in their region as well as read and follow all the current label directions relating to the products. Nothing herein shall be deemed a warranty or guaranty by PanAmerican Seed of any products listed herein. PanAmerican Seed's terms and conditions of sale shall apply to all products listed herein.

Variety Pictures



Amazon Mist



Amazon Mist

PanAmericanSeed™

PanAmerican Seed Co.
622 Town Road, West Chicago, Illinois, USA, 60185-2698
630 231-1400 Fax: 630 231-3609 PanAmSeed.com

™ denotes a trademark of and © denotes a registered trademark of Ball Horticultural Company in the US. It may also be registered in other countries.
©2021 Ball Horticultural Company